




- Delivered Luminosity and operating efficiency
  - Delivered 5.0pb<sup>-1</sup>
  - Recorded 4.6pb<sup>-1</sup> (91%)
- Mostly smooth data taking
  - Best two weeks on record in terms of data taking efficiency
- Total number of events collected
  - 11 mln
- Beam halo
  - Mainly close to be within specs
  - Problems are resolved with MCR on case by case basis
- Beam position
  - Within 1mm from the detector center and stable





## Activities During Shutdown Week

- Multiple jobs to improve reliability of the detector elements
  - Replacement of muon LVPS VME power supplies: 5 units
  - Replacement of fans in the cathedral area: 3 units
  - Electronics repairs in the muon A-layer
  - Rack monitor interface modifications/maintenance in the hall
- Detector opening/closing and re-survey went smoothly this time
- Recovery from multiple power outages on Friday/Saturday was painful
  - Too late with many experts been away from the Lab
  - Some elements, including some power supplies, had to be replaced
- Flooding of the collision hall
  - Caused by the DO collision hall used "as drain" during low beta LCW leak on Saturday
    - ▲ ~100 gallons of water penetrated from the tunnel to the hall under shielding wall
    - ▲ Silicon control units located on sidewalk, gas piping, etc. have been "under water" for ~ 1-2 hours
    - ▲ Cleaned as much water as we can during CA on Saturday
      - At this moment we see no direct damage to the detector elements
- First post shutdown store
  - Started data taking within ~ an hour after beam was stable (re-scraping)
  - The only known issue is failure of two muon Level 1 trigger cards at ~1:30am
    - A Requested one hour access after end of the current store
  - Shutdowns are very painful
    - ▲ Lately no gain in performance
    - Always problems with reliability and experts "disturbing" different systems



## **DO Summary**

- Stably collected physics data with full detector in readout in May
  - ◆ Last two weeks of May DO operating efficiency is ~91.5%
  - For the month of May operating efficiency is 89%
  - June will be hard to keep efficiency high
    - ▲ Un-stable (for now) accelerator performance
    - ▲ New trigger list coming on-line
    - ▲ D0 Experiment Workshop in France (many experts are away for extended period of time)
    - Summer vacations starting
- Plan for this week
  - Physics data taking during stack and store operations